

Supplied by: Sil-Mid Limited Roman Park, Roman Way

B46 1HG. UK T: 01675 432850

Coleshill, West Midlands

Emergency Telephone No. +44 (0)1675 432850

(Monday to Friday, 08:00 - 17:30 - GMT)

E: info@silmid.com

Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: RTV 102 - white

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Silicone Elastomer Uses advised against: Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Importer/Distr :

ibutor Information

Momentive Performance Materials GmbH

Chempark Leverkusen Gebaeude V7

DE - 51368 Leverkusen

Germany

Contact person : commercial.services@momentive.com

Telephone : General information

+390510924300 (Customer Service Centre)

1.4

Emergency telephone

number (0) 1235239671

Europe, Israel & All other: +44 (0) 1235239670; Middle East:+44

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has not been classified as hazardous according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Not classified

The product is not classified for chronic aquatic toxicity, for further details see section 16

2.2 Label Elements Not applicable

Supplemental label information

EUH210: Safety data sheet available on request.

Additional Information: No data available.

2.3 Other hazards No data available.

SECTION 3: Composition/information on ingredients

Chemical nature: Mixture of polydimethylsiloxanes, fillers and cross-linkers.

SDS_GB 1/15



Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

3.2 Mixtures

General information: No data available.

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
Octamethylcyc lotetrasiloxane	1 - <3%	556-67-2	209-136-7	01- 2119529238- 36-XXXX	Aquatic Toxicity (Chronic): 10	PBT, vPvB
Decamethylcy clopentasiloxa ne	0,1 - <1%	541-02-6	208-764-9	01- 2119511367- 43-XXXX	Not applicable	√PvB
Dodecamethyl cyclohexasilox ane	0,1 - <1%	540-97-6	208-762-8	01- 2119517435- 42-XXXX	Not applicable	√PvB

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

Classification

Chemical name	Classification	Notes
Octamethylcyclotetrasiloxa	Flam. Liq.: 3: H226; Repr.: 2: H361f; Aquatic Chronic: 1:	No data
ne	H410;	available.
Decamethylcyclopentasilo	No data available.	
xane		
Dodecamethylcyclohexasil	No data available.	
oxane		

CLP: Regulation No. 1272/2008.

SECTION 4: First aid measures

General: No action shall be taken involving any personal risk or without suitable

training.

4.1 Description of first aid measures

Inhalation: Move to fresh air. Get medical attention if any discomfort continues.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

Skin Contact: Wash skin thoroughly with soap and water. If skin irritation occurs: Get

medical advice/attention.

Ingestion: Drink plenty of water. Do NOT induce vomiting. Get medical attention.

SDS_GB 2/15

^{##} This substance has workplace exposure limit(s).

vPvB: very persistent and very bioaccumulative substance.



Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

4.2 Most important symptoms and effects, both acute and delayed:

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: No data available.

Treatment: Treatment is symptomatic and supportive.

SECTION 5: Firefighting measures

General Fire Hazards: Collect contaminated fire extinguishing water separately. This must not be

discharged into drains.

5.1 Extinguishing media Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Do not use water jet.

5.2 Special hazards arising from the substance or

mixture:

In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Pay attention to the corrosive effects arising from contact with water. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due

to oxidative degradation.

5.3 Advice for firefighters

Special fire fighting

procedures:

Use water spray to keep fire-exposed containers cool.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Caution: Contaminated surfaces may be slippery. Reacts with water liberating small amounts of acetic acid. Use personal protective equipment.

6.2 Environmental Precautions: Do not allow runoff to sewer, waterway or ground.

6.3 Methods and material for containment and cleaning up:

Shovel up and place in a container for salvage or disposal.

6.4 Reference to other

sections:

No data available.

SECTION 7: Handling and storage:

7.1 Precautions for safe

handling:

Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes, skin, and clothing. Acetic acid is formed during processing. Wear

appropriate personal protective equipment.

Storage conditions: No data available.

SDS_GB 3/15



Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

7.2 Conditions for safe storage,

including any incompatibilities:

Keep container tightly closed in a cool, well-ventilated place.

Storage Stability: Stable

7.3 Specific end use(s): No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Silane, dichlorodimethyl-, reaction products w ith silica - Respirable dust.	TWA	2,4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Silane, dichlorodimethyl-, reaction products w ith silica - Inhalable dust.	TWA	6 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
	TWA	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (01 2020)
Silane, dichlorodimethyl-, reaction products w ith silica - Respirable dust.	TWA	4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (01 2020)
TITANIUM DIOXIDE - Inhalable	TWA	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
TITANIUM DIOXIDE - Respirable.	TWA	4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)

Biological Limit Values

None.

8.2 Exposure controls

Appropriate Engineering

Controls:

Provide adequate general and local exhaust ventilation. Eye washes and

showers for emergency use.

Individual protection measures, such as personal protective equipment

General information: Ventilation and other forms of engineering controls are preferred for

controlling exposures. Respiratory protection may be needed for non-

routine or emergency situations.

Eye/face protection: Safety glasses with side-shields conforming to EN166

Skin protection

Hand Protection: Advice: There is no risk to health due to contact with the chemical. Use

hand protection to prevent mechanically injuries.

Other: Wear suitable protective clothing and eye/face protection.

Respiratory Protection: When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators. Respiratory protection mask with

Filtertype ABEK

Hygiene measures: Avoid contact with eyes, skin, and clothing. Good personal hygiene is

necessary. Wash hands and contaminated areas with water and soap before leaving the work site. When using do not eat, drink or smoke.

Environmental exposure

controls:

No data available.

SDS_GB 4/15



Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: solid
Form: Paste
Color: White
Odor: Acetic acid.

Odor Threshold:No data available.pH:No data available.Melting Point:No data available.Boiling Point:Not applicable

Flash Point: > 93,3 °C (estimated) **Evaporation Rate:** No data available. Flammability (solid, gas): No data available. Flammability Limit - Upper (%): No data available. Flammability Limit - Lower (%): No data available. Vapor pressure: No data available. Relative vapor density: No data available. ca. 1,06 g/cm3 Density: Relative density: No data available.

Solubility(ies)

Solubility in Water: Insoluble

Solubility (other): No data available.

Partition coefficient (n-octanol/water) Log

Pow: Not applicable

Autoignition Temperature:

Decomposition Temperature:

No data available.

No data available.

No data available.

Viscosity, dynamic:

Viscosity, kinematic:

No data available.

No data available.

No data available.

Oxidizing properties:

No data available.

No data available.

9.2 Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: No data available.

10.2 Chemical Stability: Material is stable under normal conditions.

10.3 Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

10.4 Conditions to avoid: Reacts with water liberating small amounts of acetic acid.

10.5 Incompatible Materials: Strong Acids, Strong Bases Water.

10.6 Hazardous Decomposition

Products:

Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to

oxidative degradation.

SDS_GB 5/15



Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

SECTION 11: Toxicological information

General information: Experience has shown, that the above mentioned product can be used

without any danger to health, as long as the usual conditions of industrial

hygiene are observed.

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

11.1 Information on toxicological effects

Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

Octamethylcyclotetrasilox

LD 50 (Rat): > 4.800 mg/kg

ane

Decamethylcyclopentasil

Dodecamethylcyclohexas

No data available.

LD 50 (Rat): 2.000 mg/kg

iloxane

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

Octamethylcyclotetrasil

oxane

LD 50 (Rat): > 2.375 mg/kg

Decamethylcyclopenta

siloxane

LD 50 (Rabbit): > 2.000 mg/kg

Dodecamethylcyclohex

asiloxane

LD 50 (Rat): 2.000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

Octamethylcyclotetrasilox

LC50 (Rat, 4 h): 36 mg/l

Decamethylcyclopentasil

LC50 (Rat, 4 h): 8,67 mg/l

oxane

Dodecamethylcyclohexas

No data available.

iloxane

Repeated dose toxicity

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox No data available.

NOAEL (Rat(male and female), Oral, 90 d): 1.000 mg/kg Decamethylcyclopentasil NOAEL (Rat(male and female), Dermal, 28 d): 1.600 mg/kg oxane

NOAEC (Rat(male and female), Inhalation - vapor, 2 y): 160 ppm

NOAEL (Rat(male and female), Oral): 1.000 mg/kg Dodecamethylcyclohexas

SDS_GB 6/15



Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

iloxane

Skin Corrosion/Irritation: Not irritating No data available.

Specified substance(s)

Octamethylcyclotetrasil OECD Test Guideline 404 (Rabbit): Non irritating

oxane

Decamethylcyclopentas OECD Test Guideline 404 (Rabbit, 72 h): Non irritating

iloxane

Dodecamethylcyclohex OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h):

asiloxane No skin irritation

Serious Eye Damage/Eye

Irritation: Product:

Not irritating

No data available.

Specified substance(s)

Octamethylcyclotetrasil OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non

irritatin

Decamethylcyclopentas

iloxane

tas OECD Test Guideline 405 (Rabbit, 72 h): Non irritating

Dodecamethylcyclohex OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No asiloxane eye irritation Not irritating

Respiratory or Skin Sensitization:

oxane

asiloxane

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasil Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea

Pig): Not sensitizing

Decamethylcyclopentas LLNA (Local Lymph Node Assay), OECD Guideline 429 (LLNA)

iloxane (Mouse): Non sensitizing.

Dodecamethylcyclohex Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea

Pig): negative

Germ Cell Mutagenicity

In vitro

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella

ane

typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

Decamethylcyclopentasil

oxane

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)
Mammalian cytogenicity test (Mouse Lymphoma Assay (OECD Guidline

476)): negative (not mutagenic)

Chromosomal aberration (OECD 473): negative (not mutagenic)

Dodecamethylcyclohexas No data available.

iloxane

IIOXarie

In vivo
Product:
No data available.

Specified substance(s)

Octamethylcyclotetrasilox Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology:

Micronucleus Test)) Inhalation (Rat, male and female): negative

Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation

Decamethylcyclopentasil (OECD-Guideline 474 (Genetic Toxicology: Micronucle

oxane (Rat, male and female)negative (not mutagenic) Vapor.

SDS_GB 7/15



Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

Dodecamethylcyclohexas

iloxane

OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal

(Mouse, male and female): negative

Carcinogenicity

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox

Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas

iloxane

No data available.

No data available. No data available.

Reproductive toxicity

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox

Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas iloxane

No data available.

No data available.

No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox

No data available.

Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas

iloxane

No data available.

No data available.

Specific Target Organ Toxicity - Repeated Exposure Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox

ane

Decamethylcyclopentasil

Dodecamethylcyclohexas

iloxane

No data available.

No data available.

No data available.

Aspiration Hazard

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox

Decamethylcyclopentasil

No data available.

No data available.

Dodecamethylcyclohexas

No data available.

iloxane

Other effects:

No data available.

SDS_GB 8/15



Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox LC50 (Oncorhynchus mykiss, 96 h): > 0,022 mg/l

Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas No data available.

iloxane

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox

Decamethylcyclopentasil

Dodecamethylcyclohexas

iloxane

EC50 (Daphnia magna, 48 h): > 0,015 mg/l

EC50 (Daphnia magna, 48 h): > 0,0029 mg/l (OECD Test Guideline 202)

LC50 (Oncorhynchus mykiss, 96 h): > 0,0016 mg/l (OECD-Guideline 204)

No data available.

Chronic Toxicity

Fish

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox NOEC (Oncorhynchus mykiss, 93 d): >= 0,0044 mg/l

Decamethylcyclopentasil NOEC (Oncorhynchus mykiss, 90 d): >= 0,0014 mg/l (OECD-Guideline 210)

LOEC (Oncorhynchus mykiss, 90 d): > 0.0014 mg/l (OECD-Guideline 210)

Dodecamethylcyclohexas NOEC (Pimephales promelas, 49 d): 0,0044 mg/l

iloxane

oxane

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

NOEC (Daphnia magna, 21 d): > 0,015 mg/l Octamethylcyclotetrasilox

Decamethylcyclopentasil NOEC (Daphnia magna, 21 d): >= 0,0015 mg/l (OECD-Guideline 211)

oxane LOEC (Daphnia magna, 21 d): > 0,0015 mg/l Dodecamethylcyclohexas NOEC (Daphnia magna, 21 d): 0,0046 mg/l

iloxane EC50 (Sediment Invertebrate, 28 d): > 420 mg/l LOEC (Sediment Invertebrate, 28 d): >= 420 mg/l

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox ErC50 (Selenastrum capricornutum, 96 h): > 0,022 mg/l

EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 0,0012 mg/l (OECD Decamethylcyclopentasil

Test Guideline 201) oxane

SDS_GB 9/15



Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

NOEC : >= 0,0012 mg/lEC10 :> 0,0012 mg/l

Dodecamethylcyclohexas

iloxane

EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 0,002 mg/l (OECD

Test Guideline 201)

NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): >= 0,002 mg/l

(OECD Test Guideline 201)

12.2 Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox

(29 d, 310 Ready Biodegradability - CO2 in Sealed Vessels (Headspace

Test)): 3,7 % Persistent Not readily biodegradable. activated sludge (adaptation not specified) (28 d, OECD Test Guideline 310):

Decamethylcyclopentasil

0,14 % The product is not readily biodegradable.

oxane Dodecamethylcyclohexas No data available.

iloxane

BOD/COD Ratio

Product No data available.

Specified substance(s)

Octamethylcyclotetrasilox

No data available.

Decamethylcyclopentasil

No data available.

oxane

Dodecamethylcyclohexas

No data available.

iloxane

12.3 Bioaccumulative potential

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox

Fathead Minnow, Bioconcentration Factor (BCF): 12,40

ane

Decamethylcyclopentasil

Fathead Minnow, Bioconcentration Factor (BCF): 7.060 (OECD Test

Guideline 305)

Dodecamethylcyclohexas No data available.

iloxane

12.4 Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Octamethylcyclotetrasiloxa

No data available.

Decamethylcyclopentasilox

No data available.

Dodecamethylcyclohexasilo

No data available.

xane

12.5 Results of PBT and vPvB

Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very

assessment: Bioaccumulative (vPvB)

SDS_GB 10/15



Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

Octamethylcyclotetrasiloxane

Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) Octamethylcyclotetrasiloxane (D4) meets the current EU REACh Annex XIII criteria for PBT and vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., However our understanding of the available science is that D4 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D4 is not biomagnifying in aquatic and terrestrial food webs. D4 in air will degrade by naturally occurring reactions in the atmosphere. Any D4 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.

Decamethylcyclopentasiloxane

vPvB: very persistent and very bioaccumulative substance. Decamethylcyclopentasiloxane (D5) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC). However our understanding of the

(SVHC)., However our understanding of the available science is that D5 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D5 is not biomagnifying in aquatic and terrestrial food webs. D5 in air will degrade by naturally occurring reactions in the atmosphere. Any D5 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.

Dodecamethylcyclohexasiloxane

vPvB: very persistent and very bioaccumulative substance. Dodecamethylcyclohexasiloxane (D6) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., However our understanding of the available science is that D6 does not behave

available science is that D6 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D6 is not biomagnifying in aquatic and terrestrial food webs. D6 in air will degrade by naturally occurring reactions in the atmosphere. Any D6 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms

12.6 Other adverse effects: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: The generation of waste should be avoided or minimized wherever

possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

Disposal methods: Can be incinerated when in compliance with local regulations.

SDS_GB 11/15



Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

SECTION 14: Transport information

ADR

Not regulated.

ADN

Not regulated.

RID

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

14.6 Special precautions for user: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of dangerous goods. Keep away from foodstuffs and animal feed. keep away from odour sensitive materials Protect from moisture.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals: none

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: none

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration
Octamethylcyclotetrasiloxane	556-67-2	0 - <=2,99%
Decamethylcyclopentasiloxane	541-02-6	0 - <=0,4850%
Dodecamethylcyclohexasiloxane	540-97-6	0 - <=0,3690%

SDS_GB 12/15



Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.	Concentration
Octamethylcyclotetrasiloxane	556-67-2	1,0 - 10%
TITANIUM DIOXIDE	13463-67-7	1,0 - 10%
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%
Acetic acid	64-19-7	0,1 - 1,0%

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.: none

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:

Chemical name	CAS-No.	Concentration
Octamethylcyclotetrasiloxane	556-67-2	1,0 - 10%

Directive 2012/18/EU (Seveso III): on the control of major accident hazards involving dangerous substances:

Chemical name	CAS-No.	Concentration
Acetic acid	64-19-7	0,1 - 1,0%

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants: none

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
Octamethylcyclotetrasiloxane	556-67-2	1,0 - 10%
Acetic acid	64-19-7	0,1 - 1,0%

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

Inventory Status

REACH: If purchased from Momentive Remarks: None.

Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other

reactants.

Australia AICS: On or in compliance with the

inventory

Canada DSL Inventory List: Q (quantity restricted)

Remarks: None.

Remarks: Please contact your supplier for further information on the inventory status of this

material.

EINECS, ELINCS or NLP: On or in compliance with the

inventory

Remarks: None.

SDS_GB 13/15



Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

Japan (ENCS) List: On or in compliance with the Remarks: None.

inventory

China Inv. Existing Chemical On or in compliance with the Remarks: None.

Substances: inventory

Korea Existing Chemicals Inv. On or in compliance with the

(KECI): inventory

Canada NDSL Inventory: Not in compliance with the

inventory.

Philippines PICCS: On or in compliance with the Remarks: None.

inventory

US TSCA Inventory: On or in compliance with the

inventory

New Zealand Inventory of

Chemicals:

Taiwan Chemical Substance

Inventory:

inventory
On or in compliance with the

On or in compliance with the

inventory

Remarks: None.

Remarks: None.

Remarks: None.

Remarks: None.

Remarks: None.

SECTION 16: Other information

Revision Information: Not relevant.

Key literature references and

sources for data:

The partition coefficient of D4 between PDMS and water has been determined as log KRDMS water = 7.00. It follows that RDMS control

determined as log KPDMS-water =7.09. It follows that PDMS containing up to 3%w/w D4 will generate a thermodynamic limit concentration of 2.4 μ g D4/L in the water phase. The critical 21d-NOEC for daphnia of 7.9 μ g D4/L will not be reached. The product is therefore not classified for chronic aquatic toxicity

Wording of the H-statements in section 2 and 3

H226 Flammable liquid and vapor. H361f Suspected of damaging fertility.

H410 Very toxic to aquatic life with long lasting effects.

Training information: No data available.

Issue Date: 20.02.2022

SDS_GB 14/15



Last revised date: 20.02.2022 Supersedes Date: 15.04.2020

RTV 102 - white

Disclaimer:

Notice to reader

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only.

They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

Further Information

The information provided in this Safety Data Sheet is correct to the best ofour knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.

SDS_GB 15/15